

APPENDIX 1

MATERIALS FOR REPAIR

STOCK DESCRIPTION	GAGE	COMMERCIAL DESIGNATION	SPECIFICATION
Sheet	.016	24ST Alclad	AN-A-13 Cond. T
Sheet	.020	24ST Alclad	AN-A-13 Cond. T
Sheet	.025	24ST Alclad	AN-A-13 Cond. T
Sheet	.032	24ST Alclad	AN-A-13 Cond. T
Sheet	.040	24ST Alclad	AN-A-13 Cond. T
Sheet	.051	24ST Alclad	AN-A-13 Cond. T
Sheet	.064	24ST Alclad	AN-A-13 Cond. T
Sheet	.072	24ST Alclad	AN-A-13 Cond. T
Sheet	.081	24ST Alclad	AN-A-13 Cond. T
Sheet	.091	24ST Alclad	AN-A-13 Cond. T
Sheet	.102	24ST Alclad	AN-A-13 Cond. T
Sheet	.125	24ST Alclad	AN-A-13 Cond. T
Sheet	.156	24ST Alclad	AN-A-13 Cond. T
Sheet	.064	24SO Alclad	AN-A-13 Cond. A
Sheet	.081	24SO Alclad	AN-A-13 Cond. A
Sheet	.091	24SO Alclad	AN-A-13 Cond. A
Sheet	.102	24SO Alclad	AN-A-13 Cond. A
Sheet	.125	24SO Alclad	AN-A-13 Cond. A
Sheet	.156	24SO Alclad	AN-A-13 Cond. A
Sheet	.019	SAE 1020 Steel	AN-S-11
Bar	7/8 x 1-1/16	4130 C.M. Steel	AN-S-684
Tube	.065 x 1- $\frac{1}{2}$ O.D.	24ST Al. Alloy	AN-T-80
Tube	.065 x 1- $\frac{1}{2}$ O.D.	4130 C.M. Steel	AN-T-69
AN426 Rivet	AD5	A17ST Al. Alloy	AN-R-19 *
AN470 Rivet	AD3, AD4, AD5, AD6	A17ST Al. Alloy	AN-R-19 *
CR-163C-4 Cherry Rivet	1/8 In. Dia.	A17ST Al. Alloy	USAF 40911 *
CR-163C-5 Cherry Rivet	5/32 In. Dia.	A17ST Al. Alloy	USAF 40911 *
CR-163C-6 Cherry Rivet	3/16 In. Dia.	A17ST Al. Alloy	USAF 40911 *
NAS178-6 Hi-Shear Rivet Pin	3-16 In. Dia.	2330 Steel or Equiv.	AN-B-3 *
NAS179-6 Hi-Shear Rivet Collar	3/16 In. Dia.	A17ST Al. Alloy	AN-QQ-W-298
AN3 Bolt	10-32 NF-3	2330 Steel or Equiv.	AN-B-3 *
NAS220 Screw	8-32 NC-3	2330 Steel or Equiv.	AN-B-3 *
AN365-832 Self-Locking Nut	8-32 NC-3	1112 Steel	AN-N-5 *
AN365-1032 Self-Locking Nut	10-32 NF-3	1112 Steel	AN-N-5 *
AN366-832 Plate Nut	8-32 NC-3	1112 Steel	AN-N-5 *
AN366-1032 Plate Nut	10-32 NF-3	1112 Steel	AN-N-5 *
AN960-8 Washer	.064	1020 Steel	AN-S-11
AN960-10 Washer	.064	1020 Steel	AN-S-11

*Procurement Specification